

monitor

the world's
best equipment
supported
locally

Sales | Service | Parts | Hire | Finance

Morbark 1621X Wood Chipper

1800 025 024
monitor.net.au

@MonitorAUS



V1.0 - 241017



MORBARK 1621X



The Morbark 1621X Wood Chipper is a powerful, high-performance chipper provides the balance between performance, production, capability and efficiency. Perfect for residential tree services.

Morbark builds commercial grade wood chippers that create opportunities for customers serving the forestry, recycling, sawmill, biomass, landscaping/irrigation, rental and tree care markets.

Equipped with a wide infeed opening, dual feed wheels, spring applied down pressure, and straight flow-through design, the feed system easily climbs over material, reducing drag and increasing chipping efficiency.

Direct drive bottom feed wheel with clean-out door is speed matched to the top feed wheel to provide continuous material flow.

Large diameter chipping drum with staggered knife pockets maintains chipping power while providing consistent chip quality.

Four dual-edged chipper knives with replaceable knife holders allows ease of chipper drum maintenance and allows the drum to be rebuilt versus replaced, reducing expenses

18" x 20.5"
THROAT OPENING





Technical Specifications



Throat Opening (H x W)	18" x 20.5"
Infeed Opening (H x W)	41" x 59"
Fuel Capacity	121.1 L
Power Source	142 hp CAT Diesel
Weight	4340 kg
Lift & Crush	Std
Adjustable pintoll height	Std
Drum Diameter	23.8" x 21.4"
Bump bar	Std
Folding Infeed Tray	Std
Spare Tyre	Std
Strobe Light	Std

(All specs E&OE and subject to change)

Highlighted Features

- Bearing style feed wheel pivot assembly
- Staggered knife pocket drum with four dual-edged chipper knives and replaceable knife holders
- Dual sided air-impeller system increases chip velocity, aiding in discharging wet, leafy and fibrous material
- Dual horizontal feed wheels with TorqMax™ top feed wheel compression system, hydraulic lift assist, spring assisted down pressure and manually applied hydraulic down pressure at the valve handle.
- Reversing automatic feed system stops and momentarily backs away material for increased feeding efficiency and quicker engine recovery
- Standard fuel sight gauge, drain plug and shut-off valve
- Standard hydraulic reservoir clean-out/inspection cover, magnetic drain plug and fluid level sight gauge
- Fully extended channel steel frame fully supports the entire chassis.





zero
downtime
guarantee*



Our Locations

Branches & Service Centres



Tamworth

143 Gunnedah Rd
Tamworth NSW 2340



Sydney

49-50 Cassola Pl
Penrith NSW 2740



Melbourne

24-28 William Rd
Dandenong South VIC 3175



Brisbane

191 Magnesium Dr
Crestmead QLD 4132



Brisbane - Caboolture

2 Alta Drive
Caboolture QLD 4510



Perth

11 Reihill Rd
Maddington WA 6109



agent@monitor.net.au

1800 025 024
monitor.net.au

@MonitorAUS



monitor

the world's best equipment supported locally

Morbark 1621X Wood Chipper

7