monitor

the world's best equipment supported locally

Sales | Service | Parts | Hire | Finance

Morbark 2230 Wood Chipper

1800 025 024 monitor.net.au

@MonitorAUS

V1.0 - 241017



2

MORBARK 2230


The Morbark 2230 22-inch capacity Wood Chipper is an ideal for entry-level biomass production, lot and land clearing contractors, contractors and large tree services.

Morbark 2230 Wood Chipper combines versatility and capability with its strong infeed system that can chip whole trees, a bearing-style pivot assembly for superior material crushing power, a large diameter chipping drum to efficiently process materials, and a high horsepower engine for faster job completion.









Technical Specifications

Throat Opening (H x W)	22" x 30" (55.9 x 76.2 cm)
Infeed Opening (H x W)	39" x 65" (99.1 x 165.1 cm)
Fuel Capacity	246 L
PowerSource	365 hp Cummins
Weight	7850 kg
Lift & Crush	Std
Adjustable pintoll height	Std
Drum Diameter	29.1" x 37.4" (74 x 94.9 cm)
Bump bar	Std
Folding Infeed Tray	Std
SpareTyre	Std
Strobe Light	Std

(All specs E&OE and subject to change)

Highlighted Features

- Dual horizontal feed wheels with TorqMax[™] top feed wheel compression system, hydraulic lift assist, Variable Force[™] constant hydraulic down pressure system with additional manually applied hydraulic down pressure at the valve handle and sprocket driven bottom feed wheel
- 360° height-adjustable, hydraulic swivel discharge chute with chip deflectors
- Serrated teeth and knife bars on top and bottom feed wheels
- Enclosed engine with gauge panel, radiator fines screen and slide rails for belt adjustment
- Discharge clean-out door on bottom
- Hydraulic front stabilizer





Our Locations Branches & Service Centres







Sydney 49-50 Cassola Pl Penrith NSW 2740



Melbourne 24-28 William Rd Dandenong South VIC 3175



Brisbane 191 Magnesium Dr Crestmead QLD 4132



Brisbane – Caboolture 2 Alta Drive Caboolture QLD 4510



Perth 11 Reihill Rd Maddington WA 6109



1800 025 024 monitor.net.au

m

@MonitorAUS