

monitor

the world's
best equipment
supported
locally

Sales | Service | Parts | Hire | Finance

Monitor CR30-H Electric Tracked Carrier

1800 025 024
monitor.net.au

@MonitorAUS



V1.0 - 260803



MONITOR CR30-H



The **Monitor CR30-H** expands the capability of the CR30 platform with a high-tip discharge system, allowing materials to be unloaded directly into skips, trucks or elevated containers. Its fully electric drivetrain provides quiet, zero-emission operation, while the tracked undercarriage delivers excellent stability and traction across a wide range of site conditions.

Ideal for construction, demolition, landscaping and waste handling, the CR30-H improves efficiency by reducing manual handling and simplifying material disposal. Combining compact dimensions with enhanced tipping capability, it offers a practical solution for projects where productivity and manoeuvrability are equally important.

Best suited for:

- Construction
- Demolition
- Landscaping
- Waste handling
- Material transport





Technical Specifications



	STD
Max. capacity	3000 kg
Max. longitudinal gradient	40°
Max. lateral gradient	30°
Overall width	920 mm
Overall length	1925 mm
Track length	1515 mm
Track width	250 mm
Ground clearance	240 mm
Max. speed	4 km/hr
Electric motor power	4.4 kW
Voltage	48 V
Lithium battery capacity (2 standard battery)	120 Ah
Lithium battery capacity (with additional battery)	180 Ah
International Protection	IP67
Controller: radio remote control	Yes
Gross weight	690 kg

(All specs E&OE and subject to change)





—
**minimised
downtime
guarantee***
—



Our Locations

Branches & Service Centres



Tamworth



Sydney




Melbourne



Brisbane



Perth



agent@monitor.net.au

1800 025 024
monitor.net.au

@MonitorAUS



monitor

the world's best equipment supported locally

Monitor CR30-H Electric Tracked Carrier

7