



143 Gunnedah Road
P O Box 7090 NEMSC
Tamworth, NSW 2348
Australia

Ph: (02) 6755 6000
Fax: (02) 6755 6006
e: sales@monitor.net.au

MONITOR MACHINE INDUCTION

MODEL :

ATN ZEBRA BOOM LIFTS

Note :

Operators of boom lifts over 11 metres platform height are required to hold an EWP WorkCover licence. For all other lifts, an EWPA Yellow Card is recommended.....

Warning!

This is a basic induction only, and is not designed to remove the responsibility the operator has to be fully conversant with the Operator's Manual and any site-specific requirements.....

INTRODUCTION:

- 1) Safety harnesses must be worn
- 2) Identify Safe Working Load
- 3) Limit switches must not be tampered with
- 4) Identify Wind Load Rating on Compliance Plate
- 5) Identify swing and crush hazards
- 6) Logbook must be filled in daily
- 7) Operators manual for technical assistance
- 8) Personal protective clothing and / or equipment requirements.....

OPERATION: (Note: Perform pre-operation checks!).....

- 1) Drive.....
- 2) Use caution on uneven ground.....
- 3) Reverse up slopes.....
- 4) Do not leave parked on a slope.....

- 5) Check stability of ground.
Avoid soft or unstable ground. Be aware of any underground hazards.....

- 6) Boom operation: Levers and their functions
- 7) Duplicate controls at ground for emergency use
- 8) Emergency lowering system
- 9) Dangers of overhead power: non-insulated booms
- 10) Do not use as crane or tie items to platform
- 11) AED (anti-entrapment device) if fitted.....

- Stabilizer Legs (if fitted):
- 12) Use extreme caution on sloping terrain
- 13) Check stability of ground under stabilizers. Use stabiliser pads if required.
- 14) Do not operate without all 4 legs properly deployed.....
- 15) Booms must be fully stowed before legs can be retracted
- 16) Legs must be fully retracted before driving

- Generator (if fitted):
- 17) Operation.....

SERVICE:

- 1) Any faults or requirements must be immediately discussed with owner
before further operation.....
- 2) Flashing lights and movement alarms must not be disconnected.
Report any malfunction immediately
- 3) The machine must be serviced every 100 hours or 3 months by regulation.
Advise the owner if the machine reaches either of these intervals. The machine
can be serviced on site without any inconvenience to the hirer.....

AFTER USE:

- 1) Lower and fully retract booms
- 2) Remove key

OTHER:

- 1) Hirer's responsibilities (theft / damage / services)
- 2) Theft & Damage Waiver: reduces liability.....
- 3) Hire Contract Terms & Conditions.....
- 4) Contact numbers for any assistance
- 5) Notes:

Date: ___ / ___ / ___

Location: _____

I acknowledge I have completed the above induction and fully understand each point covered.

Signature: _____

Name: _____

Ph: _____

Employer: _____

Ph: _____

Address: _____

Fax: _____

The above induction was given and completed by:

 Print Name

 Signature