



143 Gunnedah Road  
P O Box 7090 NEMSC  
Tamworth, NSW 2348  
Australia

Ph: (02) 6755 6000  
Fax: (02) 6755 6006  
e: [sales@monitor.net.au](mailto:sales@monitor.net.au)

## MONITOR MACHINE INDUCTION

MODEL :

PIAF ML 810

**Note** : Operators of boom lifts over 11 metres platform height are required to hold an EWP WorkCover licence. For all other lifts, an EWPA Yellow Card is recommended.....

**Warning!** This is a basic induction only, and is not designed to remove the responsibility the operator has to be fully conversant with the Operator’s Manual and any site-specific requirements.....

### INTRODUCTION:

- 1) Identify Safe Working Load:  
200 kg (2 persons indoor & outdoor).....
- 2) Horizontal manual side force (40 kg).....
- 3) Limit switches must not be tampered with.....
- 4) Identify Wind Load Rating on Compliance Plate (45 km/hr) .....
- 5) Identify crush hazards .....
- 6) Logbook must be filled in daily .....
- 7) Operators manual for technical assistance .....
- 8) Risk & Hazard Assessment.....
- 9) Personal protective clothing and / or equipment requirements.....

OPERATION: Perform pre-operation checks shown on back cover of Logbook .....

### Drive

- 1) Drive Functions .....
- 2) Use caution on uneven ground.....
- 3) When negotiating a slope or rough terrain, keep the basket stowed as low as possible, use slow speed only, and always keep the basket on the lower side of the machine.....
- 4) Do not leave parked on a slope.....
- 5) Check track sensors which eliminate travel if activated.....
- 6) Drive enable button for emergency drive when track sensors are engaged.....

Site inspection:

- 1) Check for hazards / hazardous materials etc.....
- 2) Liaise with site supervisor and other trades people.....
- 3) Safe work method statement.....
- 4) Safety barriers / signage .....
- 5) Avoid soft or unstable ground. Be aware of any underground hazards.....

Boom Operation

- 1) Buttons and their functions .....
- 2) Ground controls for emergency use .....
- 3) Dangers of overhead power: non-insulated !.....
- 4) Do not use as crane or tie items to platform .....
- 5) Distribute weight evenly on platform.....
- 6) Ensure nobody can access the area close to or under the machine .....
- 7) Safety harness required.....
- 8) Do not elevate on a slopes (must be less than 5 degrees).....
- 7) Do not elevate if tracks are not on firm ground.....
- 8) Do not elevate if part of a track is off the ground .....

TRAILER: (If applicable)

- 1) Loading and unloading; front first (counterweight first).....
- 2) Correct load balance .....
- 3) S.W.L. of towing vehicle .....
- 4) Brakes and adjustments .....
- 5) Safety chain connection .....
- 6) Correct tie-down method .....

SERVICE:

- 1) Any faults or requirements must be immediately discussed w/- Monitor before further operation.....
- 2) Flashing lights and movement alarms must not be disconnected. Report any malfunction immediately .....
- 3) Monitor must service the machine every 100 hours or 3 months by regulation. Advise Monitor if the machine reaches either of these intervals. The machine can be serviced on site without any inconvenience to the customer .....
- 4) Charging the batteries .....
- 5) Checking fluid levels .....
- 6) Check cleanliness of mast's slide paths .....
- 7) Initial 50 hr service from new (advise Monitor when approaching 50 hrs) .....
- 8) Grease every 50 hrs .....

NOTES RE HIRE:

- 1) Hirer's responsibilities (theft / damage) .....
- 2) Theft & Damage Waiver option to reduce liability .....
- 3) Hire Contract Terms & Conditions .....
- 4) Monitor contact numbers for any assistance .....
- 5) Notes:

---

---

---

---

---

---

---

Date: \_\_\_ / \_\_\_ / \_\_\_                      Location: \_\_\_\_\_

I acknowledge I have completed the above induction and fully understand each point covered.

Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Ph: \_\_\_\_\_

Employer: \_\_\_\_\_

Ph: \_\_\_\_\_

Address: \_\_\_\_\_

Fax: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

The above induction was given and completed by:	
_____	_____
Print Name	Signature