

# monitor

the world's  
best equipment  
supported  
locally

Sales | Service | Parts | Hire | Finance

## Rayco RG55T-R Stump Grinder

1800 025 024  
[monitor.net.au](http://monitor.net.au)

@MonitorAUS



V1.0 - 241127



# RAYCO RG55T-R



The RG55T-R features a petrol Kubota engine, non-marking rubber tracks and a hydraulic backfill blade. Operators appreciate the large cutting dimensions as well as the visibility and protection of the swing-out control station.

The expandable, non-marking rubber track undercarriage provides a stable, 50-inch (127-cm) wide, stance for cutting while retracting to 35 inches (88.9 cm) to squeeze through backyard gates. A hydraulic backfill blade saves time during clean up, letting you get on to the next job. The wireless remote control unit is sealed against dust, water, and other elements.





# Technical Specifications

Cutting Depth	14" (35.6 cm)
Cutting Height	24.5" (62.2 cm)
Cutting Width	60" (152.4 cm)
Chip Collection Capacity	311 L
Engine	53.4 hp Kubota
Fuel Type	Petrol
Fuel Tank Capacity	32 L
Oil Tank Capacity	8 L
Cutter Wheel Diameter	50.8 cm
Cutting Wheel Thickness	3.81 cm
Weight	1524 kg

(All specs E&OE and subject to change)





zero  
downtime  
guarantee\*



# Our Locations

## Branches & Service Centres



### Tamworth

143 Gunnedah Rd  
Tamworth NSW 2340



### Sydney

49-50 Cassola Pl  
Penrith NSW 2740



### Melbourne

24-28 William Rd  
Dandenong South VIC 3175



### Brisbane

191 Magnesium Dr  
Crestmead QLD 4132



### Brisbane - Caboolture

2 Alta Road  
Caboolture QLD 4510



### Perth

11 Reihill Rd  
Maddington WA 6109



[agent@monitor.net.au](mailto:agent@monitor.net.au)

1800 025 024  
[monitor.net.au](http://monitor.net.au)

@MonitorAUS



**monitor**

the world's best equipment supported locally

Rayco RG55T-R Stump Grinder

6