

monitor

the world's
best equipment
supported
locally

Sales | Service | Parts | Hire | Finance

Monitor E148T Truck Mounted Lift

Fuso 515

1800 025 024
monitor.net.au

@MonitorAUS



V1.0 - 250606



MONITOR E148T

The Monitor E148T is a simple, strong and reliable telescopic truck mounted cherry picker. A very versatile package for heavy duty applications. It is equipped with exceptional strength and rigidity in the aerial platform as well as simple and intuitive operation.

This telescopic truck mounted boom lift weighs as little as 3650 kg, has a 13.7 m vertical reach, and 8.4 m horizontal reach.

The E148T truck mounted lift is extremely versatile, and safe to accommodate 2 persons and tools with a maximum rated capacity of 250 kg.

It is also equipped with hydraulic control levers that are robust and durable, allowing smooth full range operation—even at maximum outreach.

The E148T's outrigger legs can be operated individually using the hydraulic controls for simple levelling on uneven surfaces. The legs are vertical, and remain within the width of the truck when set up.

13.7M
WORKING HEIGHT





Bucket with easy access & slew

Easy to use super smooth controls with dead man footswitch.

Telescopic boom for point & shoot functionality.



Turret does not protrude into traffic lane

Car license compact truck – ideal for navigating a tight urban environment.

Vertical outriggers for out deployment with ample correction

Out and down outriggers with great correction

TECHNICAL SPECIFICATIONS



TRAILER WEIGHTS & DIMENSIONS


GVM	4495 kg
Tare Weight	3720 kg
Length	6630 mm
Wheelbase	3400 mm
Height	3270 mm
Width	2500 mm

(All specs E&OE and subject to change)

Max working height	13.7 m
Max platform height	11.7 m
Max horizontal reach	8.9 m
Max. rated capacity	2 persons / 250 kg
Boom Style	Telescopic
Boom slew rotation	450° (Non-continuous)
Basket rotation	140°
Control Type	Hydraulic
Wrap around bucket (swing Arm)	No
Hydraulic Tool Port at Basket	No
Flyboom	No
Auto stow	No
Auto outrigger levelling	No
Jib (material handler)	No
Lifting winch	No
Power lead to basket	No
Standard power source	PTO from vehicle

TRUCK SPECIFICATIONS

Model	Fuso 515
Specifications	4x2
HP	150
Transmission	AMT Auto





—
**minimised
downtime
guarantee***
—



Our Locations

Branches & Service Centres



Tamworth

143 Gunnedah Rd
Tamworth NSW 2340



Sydney

49-50 Cassola Pl
Penrith NSW 2740



Melbourne

24-28 William Rd
Dandenong South VIC 3175



Brisbane

191 Magnesium Dr
Crestmead QLD 4132




Brisbane - Caboolture

2 Alta Road
Caboolture QLD 4510



Perth

11 Reihill Rd
Maddington WA 6109



agent@monitor.net.au

1800 025 024
monitor.net.au

@MonitorAUS



monitor

the world's best equipment supported locally

Monitor E148T Truck Mounted Lift - Fuso 515